



DIPRU PAINTS PVT LTD

MANUFACTURER OF WALL TEXTURE

ISO 9001:2015 CERTIFIED COMPANY

Exterior Wall Decoration Coatings





DIPRU PAINTS PVT LTD

MANUFACTURER OF WALL TEXTURE

ISO 9001:2015 CERTIFIED COMPANY

Dipru Paints Pvt. Ltd. is an ISO 9001:2015 certified company & is managed by technocrats & professionals.

We as a professional & integrated team, having the resources to assure your project achieve its goals of having a cost-effective & maintenance-free decor.

A dedication of excellence & expertise has helped us to build life-long values & relations with our customers. Our mission is a value addition for 100% customer satisfaction by assuring that we provide the highest standard of products.

DESCRIPTION & FEATURES

Dipru Paints Pvt. Ltd. Wall Textured paints are made up of high-grade water-based acrylic/pure acrylic/silicon emulsion, premium natural crushed stone and imported additives for decoration and protection of interior & exterior walls with a natural stone effect.

- Stable color, excellent alkali & UV-resistance.
- Applicable on many kinds of surfaces.
- Water repellent.
- Extraordinary weather resistance.
- Anti-Crack due to high elasticity & fibre contacts.
- Environment friendly. low VOC.
- Low cost.

RECOMMENDATIONS FOR USE

Villa, Hotel, Office Buildings, Commercial Complex, Residential Buildings, School, Hospital, Museum, Stadium etc.

To be used on exterior surface. It can be used on interior surfaces of cement plaster, gypsum woodwork. It is easy to apply and provides grooved patterns.

OUR STRENGTH

- Commitment to quality & excellence in products.
- People & resources to ensure customer's satisfaction.
- Hardcore research & development to implement new ideas in the form of new products.
- Lean overheads, low unit production cost. most competitive offerings to our customers.
- Quest for growth & technology up gradations.

RUSTIC TEXTURE



Product Description

Textures are fun and can add a great look to your wall. With Dipru's Rustic, you can opt for a long lasting high quality textured finish. The exterior durable acrylic modified resin is specially designed as intermediate coating.

Special Feature

- Hides surface undulations and fine cracks.
- Tough textured finish that lasts for a long time and ensures low maintenance.
- Increase the life of plaster by protecting it from wind driven rain.
- Excellent UV resistance and adhesion.
- Releases trapped moisture both from the paint surface as well as the substrate.
- Resists fungus and algal growth, when applied as a system with the recommended top coat.

Recommended use

To be used exterior surface. It can be used on interior surface of cement plaster, gypsum board, woodwork.

Application Methods

Stainless Steel Trowel/Fiber Trowel/Spatula.

DHOLPUR TEXTURE



Product Description

For a premium finish, stop your search at Dipru's Dholpur. Composed of high quality durable acrylic modified resin specially designed as an intermediate coating. It give your walls the perfect textured finish.

Special Feature


Antique coat is trowel applied material which can be applied on both interiors and exteriors of building to create stones, rough cast slabs, faux effects with antique effects with antique look. It can be applied in grooved, blocks and seamless patterns.

- Hides surface undulations and fine cracks.
- Tough textured finished that lasts for a long time and ensures low maintenance.
- Increase the life of plaster by protecting it from wind driven rain.
- Excellent UV resistance and adhesion.
- Releases trapped moisture both from the paint surface as well as the substrate.
- Resists fungus and algal growth, when applied as a system with the recommended top coat.

Recommended use

To be used on exterior surface. Can be used on interior surfaces of cement plaster, gypsum board and woodwork. Interior and exterior wall of prestigious buildings, recommended for high diffusion plasters.

ROLLER COAT TEXTURE



Product Description

Dipru's Roller coat is the most popular exterior grade weather proof coating that offers outstanding resistance and vapor permeability properties. Formulated from quartz powder, earthen minerals, pigments etc. dispersed in silicone acrylic binding medium.


Special Feature

The product contains acrylic polymer & special biocides in water dispersion, which guarantee excellent resistance to climatic Condition, leave unaltered the transpiration of the surface, and prevent the development of moulds and algae. Furthermore, the product is resistant to acids and frost haw cycles. It keeps the masonry always dry and improves energy saving, it also assures the best hygienic conditions and house comfort. It can be used as finish coat both on high-diffusion plasters and on all wall surfaces. It is odorless, non-flammable and environmentally friendly.


Recommended use

To be used on exterior surface. Can be used on interior surfaces of cement plaster, gypsum board and woodwork. Interior and exterior walls of prestigious buildings, recommended for high diffusion plasters.


RCC TEXTURE



BRICK TEXTURE



DIPRU'S EXCLUSIVE



GENERAL DATA - TEXTURE PAINTS

Coating System	Single / Two Coat system
Texture	15 or more as desired
Colour	In-Built Colour Option Available
Application	By Spray Gum / Trowal / Roller / Spatula
Surface	Exterior / Interior finishes
Film Thickness	Depending on the Texture in use
Surface Dry	4 Hours
Hard Dry	After 7 Days

PERFORMANCE - TEXTURE PAINTS

Adhesion	Excellent
Impact Resistance	High
Biological Resistance	Resistant to algae & fungi
Incombustibility Test	No melting or cracking of coating

SPECIAL FEATURES

Manufactured by using the best quality raw materials.
One can create any design, depending on the
Customer's requirements.

NOTE

It is advised to apply paint on top of the texture for better
protection against mold and water.

Manufactured by :



DIPRU PAINTS PVT LTD
MANUFACTURER OF WALL TEXTURE

ISO 9001:2015 CERTIFIED COMPANY

Office :

C/615, Siddhivinayak Tower,
Nr. Kataria Arcade, Makarba,
S.G. Highway, Ahmedabad.

Factory : Changodar, Ahmedabad.

Contact : +91 92656 35661 • 079-4895 1750

Customer Care : +91-91062 65331

Email : diprupaints@gmail.com